

App. Serial No.: 10/801,942

Atty. Docket No.: 0057-011

IN THE CLAIMS**RECEIVED  
CENTRAL FAX CENTER****DEC 19 2008**

Please amend the claims as follows:

1. (currently amended) A computer array, comprising:  
a plurality of computers integrated on a unitary substrate, each of the plurality of computers including read-only memory for storing data and instructions, random access memory for storing data and instructions, and a processor for executing the instructions; and  
a plurality of data paths connecting the computers, the data paths being dedicated for communication between associated pairs of the computers; and wherein,  
at least some of the computers are assigned a task different from that assigned to the other computers.
2. (original) The computer array of claim 1, wherein:  
each of the computers is assigned a task different from that of the other computers.
3. (previously presented) The computer array of claim 1, wherein:  
at least some of the computers are configured for specific input functions, whereby the computers configured for specific input functions can receive data from an external device and communicate the received data to other computers of the array.
4. (previously presented) The computer array of claim 1, wherein:  
at least some of the computers are configured for specific output functions, whereby the computers configured for specific output functions can receive data from other computers in the array and communicate the received data to an external device.
5. (original) The computer array of claim 1, wherein:  
communication between the computers is asynchronous.

App. Serial No.: 10/801,942  
Atty. Docket No.: 0057-011

6. (original) The computer array of claim 1, wherein:  
communication between the computers is via a plurality of parallel data lines.
7. (previously presented) The computer array of claim 1, wherein:  
each of the computers is wired to communicate with at least three of the plurality of computers.
8. (previously presented) The computer array of claim 1, wherein:  
the quantity of the computers is 25.
9. (original) The computer array of claim 1, wherein:  
the computers are physically arrayed in a 5 by 5 array.
10. (original) The computer array of claim 1, wherein:  
at least some of the computers are physically arrayed in a 4 by 6 array.
11. (previously presented) The computer array of claim 1, wherein:  
the quantity of the computers along each side of the array is an even number.
12. (previously presented) The computer array of claim 1, wherein:  
at least one, but not all, of the computers is in direct communication with an external memory source.
13. (previously presented) The computer array of claim 1, wherein:  
at least one of the computers communicates data from an external memory source to at least one other of the plurality of computers.

App. Serial No.: 10/801,942

Atty. Docket No.: 0057-011

14. (currently amended) A method for performing a computerized job, comprising:
- providing a plurality of computers integrated in a unitary substrate and interconnected via discrete sets of data lines, each set of data lines being dedicated to a particular pair of the computers;
  - assigning a different task to at least some of the computers; and
  - executing the tasks on the assigned computers; and wherein
  - each of the plurality of computers includes read-only memory for storing data and instructions, random access memory for storing data and instructions, and a processor for executing the instructions.
15. (currently amended) The method of claim 14, wherein:
- at least one of the computers is assigned to communicate with [[a]] an external flash memory.
16. (currently amended) The method of claim 14, wherein:
- at least one of the computers is assigned to communicate with [[a]] an external random access memory.
17. (previously presented) The method of claim 14, wherein:
- at least one of the computers accomplishes an input/output function by transferring information between another of the computers and an external device.
18. (original) The method of claim 14, wherein:
- one of the computers routes assignments to the remainder of the computers.

App. Serial No.: 10/801,942

Atty. Docket No.: 0057-011

19. (currently amended) A computer array, comprising:
- a plurality of computers on an integrated circuit chip, each of the plurality of computers including read-only memory for storing data and instructions, random access memory for storing data and instructions, and a processor for executing the instructions; and
  - a plurality of data connections between the computers, each of the data connections being directly accessible to no more than two of the computers; wherein
  - at least some of the computers are programmed to perform different functions.
20. (original) The computer array of claim 19, wherein:
- the different functions work together to accomplish a task.
21. (original) The computer array of claim 19, wherein:
- each of the functions is programmed into the respective computers when the computer array is initialized.
22. (original) The computer array of claim 19, wherein:
- communication between the computers is asynchronous.
23. (currently amended) A method for accomplishing a task using a plurality of computers, comprising:
- providing the plurality of computers on an integrated substrate and interconnected by data lines, each of the data lines being accessible to no more than two of the computers;
  - dividing a task into operational components and assigning each of the operational components to one of the computers;
  - programming at least some of the computers to accomplish each of the operational components; and
  - executing the operational components on the assigned computers; and
  - wherein each of the plurality of computers includes read-only memory for storing data and instructions, random access memory for storing data and instructions, and a processor for executing the instructions.

App. Serial No.: 10/801,942

Atty. Docket No.: 0057-011

24. (previously presented) The method for accomplishing a task of claim 23, wherein:  
the operational components are operations used in accomplishing functions of a global positioning system receiver.
25. (original) The method for accomplishing a task of claim 23, wherein:  
before the task is begun, programming the computers to accomplish each of the operational components.
26. (original) The method for accomplishing a task of claim 23, wherein:  
the computers are arranged in a computer array.
27. (canceled)
28. (canceled)
29. (previously presented) The computer array of claim 1, wherein:  
the computers operate internally in an asynchronous manner.
30. (currently amended) The computer array of claim 1, wherein:  
~~each of the computers includes at least one of the read-only memory and the random~~  
access memory in each of the computers is dedicated memory.
31. (canceled)
32. (canceled)
33. (canceled)
34. (previously presented) The computer array of claim 1, wherein:  
each of the computers is an independently functioning computer.

App. Serial No.: 10/801,942  
Atty. Docket No.: 0057-011

35. (previously presented) The computer array of claim 1, wherein:  
the computers operate internally in an asynchronous manner; and  
the computers communicate with each other asynchronously.
36. (currently amended) The computer array of claim 35, wherein:  
each of the computers includes at least one of the read-only memory and the random-access memory in each of the computers is dedicated memory.
37. (canceled)
38. (canceled)
39. (canceled)
40. (previously presented) The computer array of claim 1, wherein:  
the computers are the same with respect to at least one of structure, circuitry, layout, and  
operational characteristics.
41. (previously presented) The computer array of claim 40, wherein:  
a first one of the computers is directly adjacent a second one of the computers; and  
the first one of the computers is a mirror image of the second one of the computers.
42. (currently amended) A computer array, comprising:  
a plurality of computers integrated on a substrate, each of the plurality of computers including read-only memory for storing data and instructions, random access memory for storing data and instructions, and a processor for executing the instructions; and  
and a plurality of data paths connecting the computers; and wherein  
at least some of the computers are assigned a task different from that assigned to the other  
computers and  
at least some of the computers include dedicated memory for the exclusive use of an  
associated one of the computers.

App. Serial No.: 10/801,942

Atty. Docket No.: 0057-011

43. (currently amended) A computer array, comprising:  
a plurality of computers on a unitary substrate, the computers operating asynchronously;  
and  
[[and]] a plurality of data paths between the computers, each of the data paths facilitating communication between some, but not all, of the computers; and wherein at least some of the computers are assigned a task different from that assigned to the other computers; and  
each of the plurality of computers includes read-only memory for storing data and instructions, random access memory for storing data and instructions, and a processor for executing the instructions.
44. (previously presented) The computer array of claim 43, wherein:  
the computers communicate with each other asynchronously.
45. (previously presented) The computer array of claim 1, wherein:  
the plurality of computers includes at least twenty-four computers.
46. (previously presented) The computer array of claim 1, wherein:  
data communicated within the array from a first one of the computers to a second one of the computers must necessarily pass through at least one of the other computers.
47. (previously presented) The computer array of claim 46, wherein:  
data communicated within the array from the first one of the computers to the second one of the computers must necessarily pass through at least two of the other computers.
48. (previously presented) The computer array of claim 1, wherein:  
at least some of the computers are programmed to function as an input and/or output interface between an external device and other computers of the array.

App. Serial No.: 10/801,942

Atty. Docket No.: 0057-011

49. (previously presented) The computer array of claim 1, wherein:  
the computer array is a homogeneous array.
50. (currently amended) A computer array, comprising:  
a plurality of computers each hard wired to communicate with at least three of the  
plurality of computers; and  
a plurality of data paths connecting the computers, each of the data paths being dedicated  
to an adjacent pair of the computers; and wherein,  
at least some of the computers are assigned a task different from that assigned to the other  
~~computers~~ computers;  
each of the plurality of computers is integrated on a unitary substrate; and  
each of the plurality of computers includes read-only memory for storing data and  
instructions, random access memory for storing data and instructions, and a processor  
for executing the instructions.
51. (previously presented) The computer array of claim 50, wherein:  
every one of the computers of the array is hard wired to communicate with at least three  
of the plurality of computers.
52. (previously presented) The computer array of claim 50, wherein:  
every one of the computers is hard wired to at least three data paths; and  
each of the three data paths is coupled to a neighboring one of the computers or provides  
a connection to an external device.



App. Serial No.: 10/801,942  
Atty. Docket No.: 0057-011

53. (currently amended) A computer array, comprising:

a plurality of computers each hard wired to communicate with at least three of the plurality of computers; and  
a plurality of data paths connecting the computers, at least some of the data paths being connected to no more than two of the computers; and wherein,  
at least some of the computers are assigned a task different from that assigned to the other computers; and wherein  
each of the plurality of computers is integrated on a unitary substrate; and  
each of the plurality of computers includes read-only memory for storing data and instructions, random access memory for storing data and instructions, and a processor for executing the instructions.

54. (previously presented) The computer array of claim 53, wherein:

every one of the computers of the array is hard wired to communicate with at least three of the plurality of computers.

55. (previously presented) The computer array of claim 53, wherein:

every one of the computers is hard wired to at least three data paths; and  
each of the three data paths is coupled to a neighboring one of the computers or provides a connection to an external device.

App. Serial No.: 10/801,942

Atty. Docket No.: 0057-011

56. (currently amended) A computer array, comprising:

at least twenty-four computers integrated in a unitary substrate; and  
a plurality of data paths connecting the computers, the data paths being dedicated for  
communication between associated pairs of the computers; and wherein,  
each of the computers includes dedicated read-only memory for storing data and  
instructions, dedicated random access memory for storing data and instructions, and a  
processor for executing the instructions;  
each of the computers is coupled to communicate with at least two of the other  
computers;  
each of the computers operates internally in an asynchronous manner;  
each of the computers communicates with the other computers asynchronously; ~~and~~  
~~each of the computers has dedicated memory.~~

57. (currently amended) A computer array, comprising:

a plurality of computers integrated in a unitary substrate, each of the plurality of  
computers including read-only memory for storing data and instructions, random  
access memory for storing data and instructions, and a processor for executing the  
instructions; and  
a plurality of data paths connecting the computers, the data paths being physical, point-  
to-point links between associated pairs of the computers; and wherein,  
at least some of the computers are assigned a task different from that assigned to the other  
computers.

App. Serial No.: 10/801,942

Atty. Docket No.: 0057-011

58. (currently amended) A computer array, comprising:

a plurality of independently functioning computers arranged in a matrix on a unitary substrate, each of said plurality of computers having at least two nearest neighbor computers; and

a plurality of sets of interconnecting dedicated data lines, each individual set of said plurality of sets of data lines being disposed between an individual computer and one of its nearest neighbor computers of said plurality of computers or between said individual computer and an external device, some of said plurality of sets of data lines each being connected to no more than two of said plurality of computers;

thereby enabling execution of a plurality of tasks by said plurality of computers, the execution of some of said tasks being different from the execution of others of said ~~tasks, and wherein~~ tasks; and wherein

each of said plurality of computers communicates with at least three others of said plurality of computers within said matrix; and

each of the plurality of computers includes read-only memory for storing data and instructions, random access memory for storing data and instructions, and a processor for executing the instructions.

App. Serial No.: 10/801,942

Atty. Docket No.: 0057-011

59. (currently amended) A computer array, comprising:

a plurality of independently functioning computers arranged in a matrix on a unitary substrate, each of said plurality of computers having at least two nearest neighbor computers; and

a plurality of sets of interconnecting dedicated data lines, each individual set of said plurality of sets of data lines being disposed between an individual computer and one of its nearest neighbor computers of said plurality of computers;

thereby enabling execution of a plurality of tasks by said plurality of computers, the execution of some of said tasks being different from the execution of others of said tasks, ~~and wherein tasks;~~ and wherein

each of said plurality of computers is dedicated to communicate with at least three of said plurality of computers within said matrix; and

each of the plurality of computers includes read-only memory for storing data and instructions, random access memory for storing data and instructions, and a processor for executing the instructions.